AMENDMENT

In the claims:

Pursuant to 37 C.F.R. §1.121 the following is a complete listing of the claims of the present application:

- 1-55. (canceled).
- 56. (New) A method of identifying a modulator of an activity of a GPCR-like receptor comprising the following steps:
 - (a) contacting a test compound with a composition, wherein said composition comprises an invertebrate GPCR-like receptor polypeptide encoded by a polynucleotide having a sequence that is at least 98% identical to the sequence selected from the group consisting of SEQ ID NOS:104 and 106; and
 - (b) measuring the activity of said GPCR-like receptor in the presence and absence of said test compound wherein if the test compound alters a GPCE-like receptor activity, the test compound is identified as a modulator.
- 57. (New) The method according to claim 56 wherein the activity of said GPCR-like receptor is the binding of a ligand.
- 58. (New) The method according to claim 56 wherein the activity of said GPCR-like receptor is the propagation of a transmembrane signal.
- 59. (New) The method according to claim 56 wherein said method is selected from the group consisting of an ion flux assay, a yeast growth assay, a non-hydrolyzable GTP assay, a cAMP assay, an inositol triphosphate assay, and a diacylglycerol assay.
- 60. (New) The method according to claim 56 wherein said modulator is an inhibitor of said GPCR-like receptor activity.
- 61. (New) The method according to claim 56 wherein said composition further comprises a G-protein.
- 62. (New) The method according to claim 61 wherein said G-protein is selected from the group consisting of $G_{\alpha 16}$, $G_{\alpha 15}$, G_{qd5} , G_{qs5} , G_{qo5} , and G_{q25} .
- 63. (New) The method according to claim 56 wherein said composition further comprises a peptide that binds to said GPCR-like receptor.

- 64. (New) The method according to claim 63 wherein said peptide is attached to a label.
- 65. (New) The method according to claim 64 wherein said label is selected from the group consisting of a fluorescence label, a radioactive label, a chemiluminescence label, an enzymic label and an immunogenic label.
- 66. (New) A method of identifying a candidate anti-invertebrate modulator comprising the steps of:
 - (a) contacting a test compound with a composition, wherein said composition comprises an invertebrate GPCR-like receptor polypeptide encoded by a polynucleotide having a sequence that is at least 98% identical to the sequence selected from the group consisting of SEQ ID NOS:104 and 106; and
 - (b) identifying a test compound that binds to or interacts with said composition as a candidate anti-invertebrate modulator.
- 67. (New) The method according to claim 66 wherein the polynucleotide encoding said GPCR-like receptor comprises the sequence of SEQ ID NO:104.
- 68. (New) An isolated GPCR-like receptor consisting of the amino acid sequence selected from the group consisting of SEQ ID NOS:105 and 107.
- 69. (New) An isolated polynucleotide encoding a GPCR-like receptor wherein the polynucleotide comprises a sequence that is at least 98% identical to a sequence selected from the group consisting of SEQ ID NOS:104 and 106.
- 70. (New) The polynucleotide according to claim 69 wherein said polynucleotide comprises a sequence set forth in SEQ ID NO:104.
- 71. (New) A non-native host cell transformed or transfected with the polynucleotide according to claim 69.
 - 72. (New) A vector comprising the polynucleotide according to claim 69.
- 73. (New) The vector according to claim 70 wherein said vector is an expression vector and said polynucleotide is operably linked to a polynucleotide comprising an expression control sequence.
- 74. (New) A host cell transformed or transfected with the expression vector according to claim 73.

- 75. (New) The host cell according to claim 74 wherein said host cell is selected from the group consisting of mammalian cells, insect cells, yeast cells, helminthic cells, and bacterial cells.
- 76. (New) The host cell according to claim 75 herein said host cell is selected from the group consisting of a COS cell, a CHO cell, an HEK293 cell, a Drosophila S2 cell, an insect Sf9 cell, an insect High-5 cell, and an *Escherichia coli* cell.